

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.03.2009

Version 4

Revision: 28.02.2008

1 Identification of substance:

- **Product details:**
- **Trade name:** Lupolen 1800 H
- **Article number:** 10125
- **Application of the substance / the preparation** Synthetic resin
- **Manufacturer/Supplier:** LyondellBasell Industries
- **Informing department:**
Regulatory Affairs Department
Research center G. Natta, Basell Poliolefine Italia s.r.l., 44100 - Ferrara (Italy)
Phone: +39/0532/468653 ; h 8.30-17.00
Fax.: +39/0532/468820
- **Emergency information:** MSDSinfo@lyondellbasell.com

2 Hazards identification

- **Information pertaining to particular dangers for man and environment**
The molten product adheres to the skin and causes burns.
Spilled material may present a slipping hazard.
- **Classification system**
This product is, according to EEC directives 1999/45, 67/548, according to 1907/2006/EC, and following amendments, not classified as hazardous.

3 Composition/information on ingredients

- **Chemical characterization:**
- **CAS No. Designation**
9002-88-4
- **Chemical characterization**
- **Description:** Low density polyethylene
- **Additional information** Can contain additives.

4 First aid measures

- **General information**
At room temperature the product is neither an irritant nor gives off hazardous vapours.
The measures listed below apply to critical situations (Fire, incorrect process conditions).
- **After inhalation** In case of excessive inhalation of fumes move the person to fresh air. Call for medical help.
- **After skin contact**
After contact with the molten product, cool rapidly with cold water.
Do not pull solidified product away from the skin.
Seek immediate medical advice.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** No specific measures have to be taken if the product is swallowed.

5 Fire fighting measures

- **Suitable extinguishing agents**
Water haze
Foam
Chemical powder
- **For safety reasons unsuitable extinguishing agents** Water jet.
- **Special hazards caused by the material, its products of combustion or resulting gases:**
In case of fire it can release :

(Contd. on page 2)

GB

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 23.03.2009

Version 4

Revision: 28.02.2008

Trade name: Lupolen 1800 H

(Contd. of page 1)

water (H₂O), carbon dioxide (CO₂), and when lacking oxygen (O₂), carbon monoxide (CO)
The products of the burning are dangerous.

- Protective equipment:

Use a mask with universal filter.

Use self-contained breathing apparatus within confined rooms.

- Additional information Heat value: 12,2 kWh/kg**6 Accidental release measures****- Person-related safety precautions:**

Particular danger of slipping on leaked/spilled product.

See point 8

- Measures for environmental protection:

No special measures required.

See points 12 and 13.

- Measures for cleaning/collecting:

Recycle product or dispose properly.

See point 13

- Additional information: Collect spilled polymer: It could cause falls (Danger of slipping).**7 Handling and storage****- Handling****- Information for safe handling:**

No special requirements necessary, if handled at room temperature.

When bringing the material to processing temperatures gases might develop, forming:

ethylene and alkenes of higher molecular weight.

traces of formaldehyde and acrylaldehyde

traces of acids (Formic acid, acetic acid)

Provide appropriate ventilation for such processing conditions.

Take precautionary measures against explosion risks, as all types of polymers may develop dust during transporting or grinding of granules.

Prevent formation of dust.

Avoid spilling the product, as this might cause falls.

- Storage**- Requirements to be met by storerooms and containers:**

Take precautionary measures to prevent the formation of static electricity.



Do not smoke.

Ground equipment electrically.

Open flames prohibited.

- Information about storage in one common storage facility: Not required.**- Further information about storage conditions:**

Protect from heat and direct sunlight.

Store container in a well ventilated position.

Store under dry conditions.

Do not stack up the octabins.

- Specific applications For safe stacking follow the storage recommendations specific for this product

GB

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.03.2009

Version 4

Revision: 28.02.2008

Trade name: Lupolen 1800 H

(Contd. of page 2)

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:** Not required.

- **Additional exposure limit values for possible processing dangers:**

107-02-8 acrylaldehyde

WEL	Short-term value: 0.7 mg/m ³ , 0.3 ppm Long-term value: 0.23 mg/m ³ , 0.1 ppm
-----	--

50-00-0 formaldehyde

WEL	Short-term value: 2.5 mg/m ³ , 2 ppm Long-term value: 2.5 mg/m ³ , 2 ppm
-----	---

64-18-6 formic acid

WEL	Long-term value: 9.6 mg/m ³ , 5 ppm
-----	--

- **Additional information:** Void

- **Personal protective equipment**

- **General protective and hygienic measures** Do not eat, drink or smoke while working.

- **Breathing equipment:** Use breathing protection in case of insufficient ventilation.

- **Protection of hands:** Heat resistant gloves

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Not required.

9 Physical and chemical properties:

- **General Information**

Form:	Pellets
Colour:	Neutral various colours
Odour:	Nearly odourless

- **Change in condition**

Melting point/Melting range: 50-140°C
Boiling point/Boiling range: Not applicable

- **Flash point:** Not applicable (see attachment to guideline 92/69/EEC, A.9)

- **Ignition temperature:** > 360°C

- **Danger of explosion:** Product is not explosive.
See point(s) 7.

- **Density at 20°C** 0.9-0.97 g/cm³

- **Solubility in / Miscibility with Water:**

Insoluble

- **Additional information** Soluble in boiling, aromatic chlorinated solvents.

GB
(Contd. on page 4)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 23.03.2009

Version 4

Revision: 28.02.2008

Trade name: Lupolen 1800 H

(Contd. of page 3)

10 Stability and reactivity**- Thermal decomposition / conditions to be avoided:**

The product is stable when handled and stored under normal conditions.

Decomposes over 360 °C.

- Dangerous reactions No dangerous reactions known**- Dangerous products of decomposition:** No hazardous decomposition products known at room temperature.**11 Toxicological information****- Acute toxicity:****- Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** No irritant effect.

- **Sensitization:** No sensitizing effect known.

- Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information:**- Information about elimination (persistence and degradability):**

- **Other information:** The product is not biodegradable.

- Behaviour in environmental systems:**- Mobility and bioaccumulation potential:**

Floats on water.

There is no bioaccumulation.

- General notes:

The product is not toxic, small particles can have physical effects on water and soil organisms.

13 Disposal considerations**- Product:****- Recommendation**

Reuse or recycle if possible.

Disposal through controlled incineration or authorised waste dump.

- European waste catalogue 070213**- Uncleaned packagings:****- Recommendation:** Disposal must be done according to official regulations.**14 Transport information****- Transport/Additional information:**

According to national and international guidelines, which regulate the road-, rail-, air- and seairtransport, this product is classified as not dangerous.

GB

(Contd. on page 5)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 23.03.2009

Version 4

Revision: 28.02.2008

Trade name: Lupolen 1800 H

(Contd. of page 4)

15 Regulatory information

- **Designation according to EC guidelines: Not classified**

*** 16 Other information:**

The information supplied has been based upon the current level of information available, for the purpose of specifying the requirements regarding environment, health and safety in conjunction with the product. They are not to be interpreted as a warranty for specific product characteristics. Lyondellbasell takes no responsibility for inappropriate use, processing and handling by purchasers and users of the product.

- Department issuing data specification sheet:

Regulatory Affairs Department

Research Center G. Natta, Basell Poliolefine Italia s.r.l.- 44100 Ferrara (Italy)

- Contact: *Regulatory Affairs Department*

- Bibliography:

- Directive EEC 67/548 and following adaptations

*- Directive 1999/45/EC, as amended
1907/2006/EC*

- Directive 2001/58/EC

- RTECS (Registry of toxic effects of chemical substances 1985-1986 edition)

- EINECS/ELINCS

- Frostling, Hof, Jacobson, Pfaffli, Zitting. "Thermal decomposition products from plastics", -Polyethylene and styrene (1982)

- * Data compared to the previous version altered. REACH version

GB