## Joe's Bio Degreaser (SPRAY)



Office: +972-3-9027080 Fax: +972-3-9027077 17 Hamelacha St. Rosh Ha'ain 4809144, Israel +972-3-9027080 : +972-3-9027077 רח' המלאכה 17 ראש העין 4809144, ישראל

Adhestick Innovations Ltd. adhestick.com



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name: Joe's Bio Degreaser (SPRAY).

Product Number: #47900 EC-Number: Not Relevant. CAS-Number: Not Relevant.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Oils and adhesives dissolving spray, washable by water.

#### 1.3 Details of the supplier of the safety data sheet

Company: Adhestick Innovations Ltd.

17 Hamelacha St., Afek Ind. Park

Rosh Ha'ain, 4809144

**ISRAEL** 

Telephone: +972-3-9027080 Fax: +972-3-9027077 E-mail: Info@adhestick.com

#### 1.4 Emergency telephone number

**Emergency Phone Number:** +972-3-9027080

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 This product is considered hazardous according to regulation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

GHS-05 – Corrosives

GHS-08 - Severe Health Hazards

#### Pictogram





Signal word: Danger

Hazard statement(s):

H304 – May be fatal if swallowed and enters airways.

H318 - Causes serious eye damage

Precautionary statement(s):

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331 - Do NOT induce vomiting.

P501 - Dispose of contents and container to an approved waste disposal plant.

#### 2.3 Other hazards

None.

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Not Relevant.

#### ADHESTICK INNOVATIONS LTD.



Joe's Bio Degreaser (SPRAY)



Office: +972-3-9027080 Fax: +972-3-9027077 17 Hamelacha St. Rosh Ha'ain 4809144, Israel +972-3-9027080 :משרד פקס: 972-3-9027077 בקס: רוז 'המלא לכה 17 Adhestick Innovations Ltd.



## 3.2 Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
Naphtha (petroleum), hydrotreated heavy		
CAS-No. 64742-48-9	Asp. Tox. 1, H304	80%-90%
EC-No. 918-481-9		
Index-No		
Registration number 01 -2119457273-39-XXXX		
Alcohol C11, ethoxylated		<u>.</u>
CAS-No. 127036-24-2	Eye Dam. 1, H318	<4%
EC-No. polymer		
Index-No		
Registration number		

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General advice**

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

#### If inhaled

Remove from site of exposure to fresh air. If breathing is difficult, give oxygen. If not breathing give artificial respiration. Get medical attention or consult doctor in case of complaints.

#### In case of skin contact

In case of contact with skin wash off immediately with soap and plenty of warm water, and seek medical advice. Remove contaminated clothing and shoes.

#### In case of eye contact

In case of contact with eyes, rinse thoroughly with plenty of water also under the eyelids. Keep eye wide open while rinsing. If possible, remove contact lenses. Get medical advice.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Do not ingest If swallowed then seek immediate medical assistance. Risk of product entering the lungs on vomiting after ingestion. In this case, the casualty should be sent immediately to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### If inhaled

The inhalation of vapors or aerosols may be irritating for the respiratory tract and for mucous membranes. Vapors inhaled in strong concentration have a narcotic effect on the central nervous system, Nausea, loss of consciousness giddiness and shortness of breath. Causes asphyxiation in high concentrations. The victim will not realize that he/she is suffocating.

#### In case of skin contact

Prolonged or repeated contact may dry skin and cause irritation.

## In case of eye contact

Contact with eyes may cause irritation.

#### If swallowed

Harmful: If swallowed accidentally, the product may enter the lungs due to its low viscosity and lead to the rapid development of very serious inhalation pulmonary lesions (medical survey during 48 hours). Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause central nervous system depression.

#### **Delayed / Immediate effects**

Abdominal pain, Nausea, Vomiting.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## ADHESTICK INNOVATIONS LTD.



Page 2 of7

## **Material Safety Data Sheet**

Joe's Bio Degreaser (SPRAY)



Office: +972-3-9027080 Fax: +972-3-9027077 17 Hamelacha St. Rosh Ha'ain 4809144. Israel +972-3-9027080 +972-3-9027077 רח' המלאכה 17 Adhestick Innovations Ltd. ראש העין 4809144, ישראל adhestick.com



#### 5.1 Extinguishing media

#### Suitable extinguishing media

Small Fire: Dry chemical, foam, carbon dioxide, water-spray or alcohol-resistant foam. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Large Fire: Water spray, fog or alcoholresistant foam.

#### **Unsuitable Extinguishing Media**

Do not use straight stream

#### 5.2 Special hazards arising from the substance or mixture

Dense smoke may be generated while burning. Evolves toxic levels of carbon monoxide, carbon dioxide, irritating aldehydes, and ketones when heated to combustion.

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus and full protective suit. In case of a large fire or in confined or poorly ventilated spaces, wear full fire-resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### 5.4 Further information

No Data.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment, and emergency procedures

Use personal protective equipment. Ensure adequate ventilation, especially in confined. Evacuate non-essential personnel to safe areas. Remove all sources of ignition (no smoking, flares, sparks, or flames in immediate area). Stop all work that requires a naked flame, stop all vehicles, and stop all machines and equipment that may cause sparks or flames. Do not touch or walk-through spilled material. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. The product should not be allowed to enter drains, water courses or the soil. Collect liquid spills and prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and materials for containment and cleaning up

Use non-sparking hand tools and explosion-proof electrical equipment. Contain spillage, and then collect with noncombustible absorbent material, (e.g., sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Following product recovery, rinse area.

## 6.4 Reference to other sections

For safe handling see section 7.

For personal protection equipment see section 8.

For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid breathing vapor or mist. Avoid contact with skin, eye, or clothing. Eating, drinking, and smoking in work areas is prohibited.

Remove contaminated clothing and protective equipment before entering eating areas. Use good personal hygiene practices. Wash hands after use.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Ventilation Requirements** 

Report ventilation failures immediately. Use only with adequate ventilation to control air contaminants to their exposure limits.

Storage Room Requirements

Store in cool, dry, well-ventilated areas away from heat, direct sunlight, and strong oxidizers. Keep container(s) tightly closed and properly labeled.

Containers that have been opened must be carefully resealed to prevent leakage.

## ADHESTICK INNOVATIONS LTD.



## **Material Safety Data Sheet**

## Adhestick Joe's Bio Degreaser (SPRAY)

Office: +972-3-9027080 Fax: +972-3-9027077 17 Hamelacha St. Rosh Ha'ain 4809144, Israel +972-3-9027080 : +972-3-9027077 רח' המלאכה 17 Adhestick Innovations Ltd. ראש העין 4809144, ישראל adhestick.com



#### 7.3 Specific end use(s)

No data available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Components with workplace control parameters

No data available.

#### 8.2 Exposure controls

#### Appropriate engineering controls

When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. Apply technical measures to comply with the occupational exposure limits.

#### Personal protective equipment

Protective engineering solutions should be implemented and in use before personal protective equipment is considered. These recommendations apply to the product as supplied. If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.

#### Eye/face protection

If splashes are likely to occur, wear safety glasses with side-shields.

#### Skin protection

Avoid skin contact. Wear appropriate protective clothing. Wear impervious aliphatic hydrocarbon resistant, Nitrile Rubber gloves. Gloves must be inspected prior to use. Use glove removal technique to avoid skin contact. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. If repeated and/or prolonged skin exposure to the substance is likely, then wear suitable gloves tested to EN374.

#### **Body Protection**

Wear impervious, flame retardant, antistatic protective clothing, shoes or boots. The protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Control of environmental exposure

No Data.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	Form: SPRAY
	Color: Transparent
Odor	Sweet
Odor Threshold	No Data
рН	Not Relevant
Melting point/freezing point	No Data
Initial boiling point and boiling range	No Data
Flash point	No Data
Evaporation rate	No Data
Flammability (solid, gas)	Not flammable
Upper/lower flammability or explosive limits	Upper explosion limit: No Data
	Lower explosion limit: No Data
Vapor pressure	No Data
Vapor density	No Data
Relative density	0.82-0.83 gr/cm <sup>3</sup>
Non-volatiles contain	No Data
Water solubility	No Data







Office: +972-3-9027080 Fax: +972-3-9027077 17 Hamelacha St. Rosh Ha'ain 4809144, Israel +972-3-9027080 משרד: פקס: 972-3-9027077 מקס: רמו "מלא לכנה" I הרו "מלא לכנה" Adhestick Innovations Ltd.

**J@E'S** 

## Joe's Bio Degreaser (SPRAY)

Partition coefficient: n octanol/water	No Data
Auto-ignition temperature	No Data
Decomposition temperature	No Data
Viscosity	No Data
Explosive properties	No Data
Oxidizing properties	No Data

#### 9.2 Other safety information

No Data.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No Data.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

None under normal processing.

#### 10.4 Conditions to avoid

Avoid heat, sparks, flame and contact with incompatible materials

#### 10.5 Incompatible material

Strong bases, acids, and oxidizing agents. Strong oxidizing agents, strong bases, strong acids.

#### 10.6 Hazardous decomposition products

Oxides of Carbon.

#### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## Acute toxicity

Naphtha (petroleum), hydrotreated heavy: the Acute Toxicity Estimate (ATE) for

oral exposure to this mixture is >5000 mg/kg body weigh

dermal exposure to this mixture is >5000 mg/kg body weight

inhalation (vapour) exposure to this mixture is >20 mg/l

#### Skin corrosion/irritation

Prolonged or repeated contact may dry skin and cause irritation.

#### Serious eye damage/eye irritation

Contact with eyes may cause irritation.

#### Respiratory or skin sensitization

No Data

#### Germ cell mutagenicity

No Data.

#### Carcinogenicity

No Data.

## Reproductive toxicity

No Data.

#### Specific target organ toxicity - single exposure

No Data.

## Specific target organ toxicity - repeated exposure

No Data.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways

Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal.

#### **Additional Information**

## **ADHESTICK** INNOVATIONS LTD.

info@adhestick.com



## **Material Safety Data Sheet**



Office: +972-3-9027080 Fax: +972-3-9027077 17 Hamelacha St. Rosh Ha'ain 4809144, Israel +972-3-9027080 משרד: +972-3-9027077 פקס: רח' המלאכה 17 **Adh**e

Adhestick Innovations Ltd. adhestick.com



## Joe's Bio Degreaser (SPRAY)

Laboratory studies with rats have shown that petroleum distillates can cause kidney damage and kidney or liver tumors. These effects were not seen in similar studies with guinea pigs, dogs, or monkeys. Several studies evaluating petroleum workers have not shown a significant increase of kidney damage or an increase in kidney or liver tumors.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No Data.

#### 12.2 Persistence and degradability

No Data.

#### 12.3 Bioaccumulative potential

No Data.

#### 12.4 Mobility in soil

No Data.

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### 12.6 Other adverse effects

No Data.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

#### Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal. Dispose of waste and residues in accordance with local authority requirements.

#### **SECTION 14: Transport information**

**14.1 UN number:** Not classified as dangerous goods for transport.

14.2 UN proper shipping name: No dangerous goods

14.3 Transport hazard class(es): Not classified as hazardous for transport.

14.4 Packaging group: Not Relevant14.5 Environmental hazards: Not Relevant

14.6 Special precautions for user: Not Relevant

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No Data.

## 15.2 Chemical Safety Assessment

No Data.

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3

H304: May be fatal if swallowed and enters airways.

H318: Causes serious eye damage.

#### Full text of P-phrases referred to under sections 2 and 3

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331 - Do NOT induce vomiting.

P501 - Dispose of contents and container to an approved waste disposal plant.

#### **Further information**

This information was gathered from the raw materials suppliers. It is the user responsibly to verify the data and to use

## **ADHESTICK** INNOVATIONS LTD.



# Material Safety Data Sheet Joe's Bio Degreaser (SPRAY)



Office: +972-3-9027080 Fax: +972-3-9027077 17 Hamelacha St. Rosh Ha'ain 4809144, Israel משרד: 972-3-9027080 - פקס: 972-3-9027077 רח' המלאכה 17 ראש העין 4809144, ישראל

Adhestick Innovations Ltd. adhestick.com



this product according to its requirements and instructions. Adhestick Innovations LTD or its employees will not be held responsible for any damage caused using this information and/or the product.

Updated: June, 2022

